Rottington, NX95/12, 22.4.78. Two at base of Hypochoeris radicata L. near Fleswick Bay, Rottington, NX94/13, 30.ix.78.

Sitona ambiguus Gyllenhal. - Eight shaken from Vicia sepium L. on bank by road side near Sandwith, Whitehaven, NX96/14, 14.v.78. Four on V. sepium L. near High Walton, Bigrigg, NX98/12, 17.vi.78. Six shaken from V. cracca L. by roadside near Parton, NX98/20, 30.vii.77. Two on V. sepium L. near High Godderthwaite, Calderbridge, NY03/06, 23.vii.78. Clints quarry, Egremont, NY00/12, 6.v.78 one at base of V. sepium. Whitelees Wood, Aspatria, NY17/41, 19.viii.78 one swept from general vegetation by disused railway line. Near Saltcoats, Ravenglass, SD07/97, 25.vi.78, general sweeping. One tapped from Urtica dioica L. near Greenroad Station, Millom, SD19/83, 8.viii.78. In the past there has been some confusion between S. ambiguus and S. lineellus (Bonsdorff), the latter being known as decipiens Lindberg. Kevin, (1962, Entomologist's mon. Mag., 98: 171) explains fully the synonomy of lineellus and B. Noe-Nygaard, (1972, Ent. Meddr., 40: 25-27) gives an illustrated account of the main taxonomic characters for separating the two species. They are punctation marks on the frons and the shape of the apex of the median lobe. In my experience of S. ambiguus in Cumbria, I nearly always find it on V. sepium growing among general vegetation in inland situations especially along roadside verges, while S. lineellus appears to be more restricted to coastal habitats and on its foodplant Lotus corniculatus L. S. ambiguus has recently been recorded as new to Somerset by P. J. Hodge, (1978, Entomologist's mon. Mag., 114: 82).

Gymnetron antirrhini (Paykull). — Adults have been taken on most occasions inside the flowers of Linaria vulgaris Miller. Three near Moresby Church, Parton, NX98/21, 31.vii.77. One near Workington, NX99/30, 26.viii.78. Two by River Ellen, Maryport NY03/36, 26.viii.78. Haverigg, Millom, SD15/78, 29.vii.78 one resting below flowers of Linaria vulgaris on sand dune. Near Silecroft station, SD12/ 82, 19.viii.78, in numbers on L. vulgaris on railway bank.

I thank Dr. M. G. Morris, Furzebrook Research Station, Dorset, and Dr. R. A. Crowson, Glasgow University for confirming the identity of certain species recorded here. I also thank Mr. Martindale, Forestry Commission, for giving permission to collect in Sowerby Wood and also Mr. Paisley for allowing me to collect at the Colmire Sough site.

AGROTIS EXCLAMATIONIS L. (HEART AND DART) IN MARCH. — A fresh specimen of this moth was caught at the M.V. light trap at Charterhouse, Godalming, on 12th March 1980. Although moths were generally out earlier than usual, this does seem an exceptionally early date for this species to be on the wing. — M. ELVIDGE, Cable House, Horsell Rise, Woking, Surrey.